

Principal Particulars

Official No

SLR 10874

Call Sign
9LU 2954

IMO NO:
9579597

Port of registry
Free Town

Year Of Built
2010

Type
AHTS

Flag:
SIERRA LEONE

Offshore support vessel AH, E, + AMS, + DPS 2

Class RINA + A1,Towing vessel,Fi-Fi1

Speed / Consumption

- in case of Eco speed (10 knots) : 8.3T/day
- in case of DP operations : 16 T/day
- in case of Standby offshore (not DP) : 5.4T/day

Capacities

Deck area: (5mt/m2). (26,00 x 12,70 m) 331 m2 Deck cargo 540 mt Fuel oil 546 m3 Drill/water/ballast 458 m3 Fresh water 354 m3 Liquid mud (8 tanks) 651 m3 Dry bulk/cement 156 m3 14.5 m3 Foam





SEA SHARK
AHTS, 6779 BHP, DP2
DIESEL ELECTRIC

Machinery

Main Engine 3 x 1,825 kW

Main propulsion 3 x 1,685 KW Two Z Drive
Azimuth (1)Z Drive,fixed
pitch variable speed

Bow thrusters 2 x 560 kW

Emergency / 160kw

harbour generator

Accommodation

Accommodations for 22 (pers Include the crew)

Accommodations for 10 pers (Passengers)

Single cabins 4

2 man cabins 4

4 man cabins 4

Mess / day rooms, hospital,
laundry, galley, stores, office. Fully air conditonned.

Dimension

Length overall	59.78 m
Breadth moulded	15.00 m
Depth	5.50 m
Design draft	4.30 m
Bollard pull	84.3 t
Gross tonnage	1733
Net tonnage	519
Max draft	4.88 m
Deadweight (at max draft)	1689 t



74, Albert AI - awal Str.. El Baron Towers,Bld # 3 ,6th floor smouha , Alexandria, Egypt Tel/ Fax : (203) 4250323 **Branch office**

27 North Choueifat Str. El- Tagamoa El - Khames .New Cairo , Egypt . Tel: + (202) 25428540



Deck Equipment

Drum size	900/2.250 mm dia. x
	1,800 mm length
Drum capacity	1,500 m of 2" steel wire
Rated pull	150 ton 1 st. Layer at
	8.50 - 0 m /min
Brake holding load	250 t on 1 st layer
Cable lifters	2 for 2/1 "2 and 3" chains



1.500 mm dia. X 2.500 mm length

Towing /Anchor-handling electro-hydraulic high pressurewintch

ingii pressurewinten

Stern roller

Electronics

NAVIGATION / COMMUNICATION.

2 radars 1 radio system compliant with

GMDSS A3 .3 satellite communication

system: Vsat, Inmarst fleet 77, Iridium.

Email / IP voice facilities.

DYNAMIC POSITIONING SYSTEM (CLASS II)

ABS classed DP2 redundant

positioning system comprising

2 DGPS, 1 Cyscan

1 laser reference unit

1 independent joystick system


Sensors and monitoring as per class II requirements





SEA SHARK AHTS, 6779 BHP, DP2 DIESEL ELECTRIC

Dp Capability Plot



Safety Equipment

Fire Fighting (Fi-Fi 2 pumps of 1,500 m3/h

Line pull 2 monitors of 1,200 m3/h

Water spray protection. MOB boat with davit Life saving arrangement Stand by rescue equipment

Pumps

Fresh water 150 m3/h at 60 m

Drill/ water/ballast 150 m3/h at 70 m

Liquid mud 2 x 150 m3/h at 70 m

Dry Bulk/Cement 50 t/h at 60 m

Liquid mud tanks fitted with agitators and fixed washing system.



74, Albert AI - awal Str.. El Baron Towers,Bld # 3 ,6th floor smouha , Alexandria, Egypt Tel/ Fax : (203) 4250323 **Branch office**

27 North Choueifat Str. El-Tagamoa El - Khames .New Cairo , Egypt . Tel: + (202) 25428540

